Author Index

A

Abdullah A (*see* Robson et al). 1994;2:177-81
Adzick NS (*see* Lin et al). 1994;2:297-305
Ahn ST (*see* Mustoe et al). 1994;2:277-83
Al-Jabreen M (*see* Holmdahl et al). 1994;2:171-6
Altman MI (*see* Mulder et al). 1994;2:259-69
Antoniades HN (*see* Lynch et al). 1994;2:182-90
Argenta PA (*see* Lin et al). 1994;2:297-305

B

Banda MJ (*see* Longaker et al). 1994;2:104-12
Barker JH, Kjolseth D, Kim M, Frank J, Bondar I, Uhl E, Kamler M, Messmer K, Tobin GR, Weiner LJ. The hairless mouse ear: an in vivo model for studying wound neovascularization. 1994;2:138-43
Berg S (*see* Messadi et al). 1994;2:284-91
Bertolami CN (*see* Messadi et al). 1994;2:284-91
Bondar I (*see* Barker et al). 1994;2:138-43
Bouhana KS (*see* Longaker et al). 1994;2:104-12
Burns BF (*see* Robson et al). 1994;2:177-81

C

Cavagnaro JA (*see* Stromberg et al). 1994;2:155-64
Chambers WA (*see* Stromberg et al). 1994;2:155-64
Chapekar MS (*see* Stromberg et al). 1994;2:155-64
Cohen IK. Editorial. 1994;2:103
Cooper DM (*see* Lazarus et al). 1994;2:165-70
Counts DF (*see* Cutroneo et al). 1994;2:292-6
Cowan W (*see* Robson et al). 1994;2:177-81
Cutroneo KR, Meisler N, Counts DF. Antiinflammatory prednisolone derivatives inhibit collagen synthesis and pro-α_1 (I) collagen promoter activity in rat skin fibroblasts. 1994;2:292-6

D

Danielpour D (*see* Longaker et al). 1994;2:104-12
de Vries HJC, Middelkoop E, Mekkes JR, Dutrieux RP, Wildevuur CHR, Westerhof W. Dermal regeneration in native non-cross-linked collagen sponges with different extracellular matrix molecules. 1994;2:37-47

January-March, pp. 1-102; April-June, pp. 103-152; July-September, pp. 153-234; October-December, pp. 235-330.

Duncan GW (*see* Mulder et al). 1994;2:259-69
Dutrieux RP (*see* de Vries et al). 1994;2:37-47

E

Eriksson E (*see* Sible et al). 1994;2:3-19

F

Feldman DS (*see* Pandit and Feldman). 1994;2:130-7
Finkelman RD (*see* Lynch et al). 1994;2:182-90
Frank J (*see* Barker et al). 1994;2:138-43

G

Garbarsch C (*see* Rasmussen et al). 1994;2:31-6
Garrison L (*see* Robson et al). 1994;2:177-81
Goldman BA (*see* Stromberg et al). 1994;2:155-64
Gottrup F (*see* Jorgensen et al). 1994;2:20-30
— (*see* Rasmussen et al). 1994;2:31-6
Greenhalgh DG, Rieman M. Effects of basic fibroblast growth factor on the healing of partial thickness donor sites: a prospective, randomized, double-blind trial. 1994;2:113-21

H

Hanley ME (*see* Mulder et al). 1994;2:259-69
Harrison MR (*see* Longaker et al). 1994;2:104-12
Hernandez RA (*see* Lynch et al). 1994;2:182-90
Hill D (*see* Robson et al). 1994;2:177-81
Holmdahl LE, Al-Jabreen M, Risberg B. Role of fibrinolysis in the formation of postoperative adhesions. 1994;2:171-6
Hørslev-Pedersen K (*see* Rasmussen et al). 1994;2:31-6
Hunt TK (*see* Sheffield et al). 1994;2:48-56

J

Jorgensen LN, Kallehave F, Karlsmark T, Vejlsgaard GL, Gottrup F. Evaluation of the wound healing potential in human beings from the subcutaneous insertion of expanded polytetrafluoroethylene tubes: a methodologic study. 1994;2:20-30

K

Kallehave F (*see* Jorgensen et al). 1994;2:20-30
Kamler M (*see* Barker et al). 1994;2:138-43
Karlsmark T (*see* Jorgensen et al). 1994;2:20-30
Kim M (*see* Barker et al). 1994;2:138-43

Kiritsy CP (*see* Lynch et al). 1994;2:182-90
Kjolseth D (*see* Barker et al). 1994;2:138-43
Knighton DR (*see* Lazarus et al). 1994;2:165-70
Kuroyanagi Y, Shiraishi A, Shirasaki Y, Nakakita N, Yasutomi Y, Takano Y, Shioya N. Development of a new wound dressing with antimicrobial delivery capability. 1994;2:122-9

L

Lazarus GS, Cooper DM, Knighton DR, Margolis DJ, Percoraro RE, Rodeheaver G, Robson MC. Definitions and guidelines for assessment of wounds and evaluation of healing. 1994;2:165-70
Lesavoy M (*see* Messadi et al). 1994;2:284-91
Levenson SM. Wound healing: a personal odyssey. 1994;2:238-58
Lin RY, Sullivan KM, Argenta PA, Lorenz HP, Adzick NS. Scarless human fetal skin repair is intrinsic to the fetal fibroblast and occurs in the absence of an inflammatory response: in situ hybridization and immunohistochemical studies. 1994;2:297-305
Lindblad WJ. Editorial. 1994;2:1-2
Longaker MT, Bouhana KS, Harrison MR, Danielpour D, Roberts AB, Banda MJ. Wound healing in the fetus: possible role for inflammatory macrophages and transforming growth factor-β isoforms. 1994;2:104-12
Lorenz HP (*see* Lin et al). 1994;2:297-305
Lynch SE, Trippel SB, Finkelman RD, Hernandez RA, Kiritsy CP, Antoniades HN. The combination of platelet-derived growth factor-BB and insulin-like growth factor-I stimulates bone repair in adult Yucatan miniature pigs. 1994;2:182-90

M

Margolis DJ (*see* Lazarus et al). 1994;2:165-70
Meisler N (*see* Cutroneo et al). 1994;2:292-6
Mekkes JR (*see* de Vries et al). 1994;2:37-47
Messadi DV, Berg S, Sung-Cho K, Lesavoy M, Bertolami CN. Autocrine transforming growth factor-β_1 activity and glycosaminoglycan synthesis by human cutaneous scar fibroblasts. 1994;2:284-91
Messmer K (*see* Barker et al). 1994;2:138-43
Middelkoop E (*see* de Vries et al). 1994;2:37-47
Moe D (*see* Rasmussen et al). 1994;2:31-6
Mulder GD, Patt LM, Sanders L, Rosenstock J, Altman MI, Hanley ME, Duncan GW. Enhanced healing of ulcers in patients with diabetes by topical treatment with glycyl-L-histidyl-L-lysine copper. 1994;2:259-69
Mustoe TA, Ahn ST, Tarpley JE, Pierce GF. Role of hypoxia in growth factor responses: differential effects of basic fibroblast growth factor and platelet-derived growth factor in an ischemic wound model. 1994;2:277-83

N

Nakakita N (*see* Kuroyanagi et al). 1994;2:122-9
Nguyen LMP (*see* Sicard and Nguyen). 1994;2:306-13

O

Oliver N (*see* Sible et al). 1994;2:3-19

P

Pandit AS, Feldman DS. Effect of oxygen treatment and dressing oxygen permeability on wound healing. 1994;2:130-7
Patt LM (*see* Mulder et al). 1994;2:259-69
Percoraro RE (*see* Lazarus et al). 1994;2:165-70
Phillips LG (*see* Robson et al). 1994;2:177-81
Pierce GF (*see* Mustoe et al). 1994;2:277-83

R

Rasmussen LH, Garbarsch C, Schuppan D, Moe D, Hørslev-Pedersen K, Gottrup F, Steenfos H. Influence of human growth hormone on granulation tissue formation, collagen deposition, and the aminoterminal propeptide of collagen type III in wound chambers in rats. 1994;2:31-6
Rieman M (*see* Greenhalgh and Rieman). 1994;2:113-21
Risberg B (*see* Holmdahl et al). 1994;2:171-6
Roberts AB. Editorial. 1994;2:236
— (*see* Longaker et al). 1994;2:104-12
Robson LE (*see* Robson et al). 1994;2:177-81
Robson MC, Abdullah A, Burns BF, Phillips LG, Garrison L, Cowan W, Hill D, Vandeberg J, Robson LE, Scheeler S. Safety and effect of topical recombinant human interleukin-1β in the management of pressure sores. 1994;2:177-81
— (*see* Lazarus et al). 1994;2:165-70
Rodeheaver G (*see* Lazarus et al). 1994;2:165-70
Rosenberg LC (*see* Shafritz et al). 1994;2:270-6
Rosenstock J (*see* Mulder et al). 1994;2:259-69

S

Sanders L (*see* Mulder et al). 1994;2:259-69
Scheeler S (*see* Robson et al). 1994;2:177-81
Scheuenstuhl H (*see* Sheffield et al). 1994;2:48-56
Schuppan D (*see* Rasmussen et al). 1994;2:31-6
Sessler DI (*see* Sheffield et al). 1994;2:48-56
Shafritz TJA, Rosenberg LC, Yannas IV. Specific effects of glycosaminoglycans in an analog of extra-

cellular matrix that delays wound contraction and induces regeneration. 1994;2:270-6
Sheffield CW, Sessler DI, Hunt TK, Scheuenstuhl H. Mild hypothermia during halothane-induced anesthesia decreases resistance to *Staphylococcus aureus* dermal infection in guinea pigs. 1994;2:48-56
Shioya N (*see* Kuroyanagi et al). 1994;2:122-9
Shiraishi A (*see* Kuroyanagi et al). 1994;2:122-9
Shirasaki Y (*see* Kuroyanagi et al). 1994;2:122-9
Sible JC, Eriksson E, Smith SP, Oliver N. Fibronectin gene expression differs in normal and abnormal human wound healing. 1994;2:3-19
Sicard RE, Nguyen LMP. Interstitial fluids associated with wound repair support proliferation but not differentiation of neonatal rat myoblasts in vitro. 1994;2:306-13
Smith SP (*see* Sible et al). 1994;2:3-19
Steenfos H (*see* Rasmussen et al). 1994;2:31-6
Stromberg K, Chapekar MS, Goldman BA, Chambers WA, Cavagnaro JA. Regulatory concerns in the development of topical recombinant ophthalmic and cutaneous wound healing biologics. 1994;2:155-64
Sullivan KM (*see* Lin et al). 1994;2:297-305
Sung-Cho K (*see* Messadi et al). 1994;2:284-91

T

Takano Y (*see* Kuroyanagi et al). 1994;2:122-9
Tarpley JE (*see* Mustoe et al). 1994;2:277-83
Tobin GR (*see* Barker et al). 1994;2:138-43
Trippel SB (*see* Lynch et al). 1994;2:182-90

U

Uhl E (*see* Barker et al). 1994;2:138-43

V

Vandeberg J (*see* Robson et al). 1994;2:177-81
Vejlsgaard GL (*see* Jorgensen et al). 1994;2:20-30

W

Weiner LJ (*see* Barker et al). 1994;2:138-43
Westerhof W. Tissue repair: Where do we stand? 1994;2:153-4 (Editorial)
— (*see* de Vries et al). 1994;2:37-47
Wildevuur CHR (*see* de Vries et al). 1994;2:37-47

Y

Yannas IV (*see* Shafritz et al). 1994;2:270-6
Yasutomi Y (*see* Kuroyanagi et al). 1994;2:122-9

Subject Index

A

Abstracts
Abstracts. 1994;2:64-99, 194-231
Adhesions
Role of fibrinolysis in the formation of postoperative adhesions (Holmdahl et al). 1994;2:171-6
Administration, topical
Enhanced healing of ulcers in patients with diabetes by topical treatment with glycyl-L-histidyl-L-lysine copper (Mulder et al). 1994;2:259-69
Regulatory concerns in the development of topical recombinant ophthalmic and cutaneous wound healing biologics (Stromberg et al). 1994;2:155-64
Safety and effect of topical recombinant human interleukin-1β in the management of pressure sores (Robson et al). 1994;2:177-81
Aminoterminal propeptide
Influence of human growth hormone on granulation tissue formation, collagen deposition, and the aminoterminal propeptide of collagen type III in wound chambers in rats (Rasmussen et al). 1994;2:31-6
Anesthesia
Mild hypothermia during halothane-induced anesthesia decreases resistance to *Staphylococcus aureus* dermal infection in guinea pigs (Sheffield et al). 1994;2:48-56
Antibiotics
Development of a new wound dressing with antimicrobial delivery capability (Kuroyanagi et al). 1994;2:122-9

B

Bandages
Development of a new wound dressing with antimicrobial delivery capability (Kuroyanagi et al). 1994;2:122-9

January-March, pp. 1-102; April-June, pp. 103-152; July-September, pp. 153-234; October-December, pp. 235-330.

Bandages—cont'd
Effect of oxygen treatment and dressing oxygen permeability on wound healing (Pandit and Feldman). 1994;2:130-7
Basic fibroblast growth factor
Effects of basic fibroblast growth factor on the healing of partial thickness donor sites: a prospective, randomized, double-blind trial (Greenhalgh and Rieman). 1994;2:113-21
Role of hypoxia in growth factor responses: differential effects of basic fibroblast growth factor and platelet-derived growth factor in an ischemic wound model (Mustoe et al). 1994;2:277-83
Bone
The combination of platelet-derived growth factor-BB and insulin-like growth factor-I stimulates bone repair in adult Yucatan miniature pigs (Lynch et al). 1994;2:182-90
Burns
Effects of basic fibroblast growth factor on the healing of partial thickness donor sites: a prospective, randomized, double-blind trial (Greenhalgh and Rieman). 1994;2:113-21

C

Cicatrix
Autocrine transforming growth factor-β_1 activity and glycosaminoglycan synthesis by human cutaneous scar fibroblasts (Messadi et al). 1994;2:284-91
Scarless human fetal skin repair is intrinsic to the fetal fibroblast and occurs in the absence of an inflammatory response: in situ hybridization and immunohistochemical studies (Lin et al). 1994;2:297-305
Classification
Definitions and guidelines for assessment of wounds and evaluation of healing (Lazarus et al). 1994;2:165-70
Collagen
Antiinflammatory prednisolone derivatives inhibit collagen synthesis and pro-α_1 (I) collagen promoter activity in rat skin fibroblasts (Cutroneo et al). 1994;2:292-6
Dermal regeneration in native non-cross-linked collagen sponges with different extracellular matrix molecules (de Vries et al). 1994;2:37-47
Fibronectin gene expression differs in normal and abnormal human wound healing (Sible et al). 1994;2:3-19
Influence of human growth hormone on granulation tissue formation, collagen deposition, and the aminoterminal propeptide of collagen type III inwound chambers in rats (Rasmussen et al). 1994;2:31-6
Conferences
Editorial (Lindblad). 1994;2:1-2
Contraction
Specific effects of glycosaminoglycans in an analog of extracellular matrix that delays wound contraction and induces regeneration (Shafritz et al). 1994;2:270-6
Copper
Enhanced healing of ulcers in patients with diabetes by topical treatment with glycyl-L-histidyl-L-lysine copper (Mulder et al). 1994;2:259-69

D

Decubitus ulcer
Safety and effect of topical recombinant human interleukin-1β in the management of pressure sores (Robson et al). 1994;2:177-81
Diabetes
Enhanced healing of ulcers in patients with diabetes by topical treatment with glycyl-L-histidyl-L-lysine copper (Mulder et al). 1994;2:259-69
Donor site
Effects of basic fibroblast growth factor on the healing of partial thickness donor sites: a prospective, randomized, double-blind trial (Greenhalgh and Rieman). 1994;2:113-21
Dressings; *see* **Bandages**

E

Ear
The hairless mouse ear: an in vivo model for studying wound neovascularization (Barker et al). 1994;2:138-43
Editorials
Editorials. 1994;2:1-2, 103, 153-4, 236
European Tissue Repair Society
Abstracts. 1994;2:194-231
Tissue repair: Where do we stand? (Westerhof). 1994;2:153-4 (Editorial)
Extracellular matrix
Dermal regeneration in native non-cross-linked collagen sponges with different extracellular matrix molecules (de Vries et al). 1994;2:37-47
Specific effects of glycosaminoglycans in an analog of extracellular matrix that delays wound contraction and induces regeneration (Shafritz et al). 1994;2:270-6

F

Fetus

Scarless human fetal skin repair is intrinsic to the fetal fibroblast and occurs in the absence of an inflammatory response: in situ hybridization and immunohistochemical studies (Lin et al). 1994;2: 297-305

Wound healing in the fetus: possible role for inflammatory macrophages and transforming growth factor-β isoforms (Longaker et al). 1994;2:104-12

Fibrinolysis

Role of fibrinolysis in the formation of postoperative adhesions (Holmdahl et al). 1994;2: 171-6

Fibroblasts

Antiinflammatory prednisolone derivatives inhibit collagen synthesis and pro-α_1 (I) collagen promoter activity in rat skin fibroblasts (Cutroneo et al). 1994;2:292-6

Autocrine transforming growth factor-β_1 activity and glycosaminoglycan synthesis by human cutaneous scar fibroblasts (Messadi et al). 1994;2: 284-91

Scarless human fetal skin repair is intrinsic to the fetal fibroblast and occurs in the absence of an inflammatory response: in situ hybridization and immunohistochemical studies (Lin et al). 1994;2: 297-305

Fibronectin

Fibronectin gene expression differs in normal and abnormal human wound healing (Sible et al). 1994;2:3-19

G

Gene expression

Fibronectin gene expression differs in normal and abnormal human wound healing (Sible et al). 1994;2:3-19

Glycosaminoglycans

Autocrine transforming growth factor-β_1 activity and glycosaminoglycan synthesis by human cutaneous scar fibroblasts (Messadi et al). 1994;2: 284-91

Specific effects of glycosaminoglycans in an analog of extracellular matrix that delays wound contraction and induces regeneration (Shafritz et al). 1994;2:270-6

Glycyl-L-histidyl-L-lysine

Enhanced healing of ulcers in patients with diabetes by topical treatment with glycyl-L-histidyl-L-lysine copper (Mulder et al). 1994;2:259-69

Governmental affairs

Regulatory concerns in the development of topical recombinant ophthalmic and cutaneous wound healing biologics (Stromberg et al). 1994;2:155-64

Granulation tissue

Influence of human growth hormone on granulation tissue formation, collagen deposition, and the aminoterminal propeptide of collagen type III in wound chambers in rats (Rasmussen et al). 1994; 2:31-6

Growth factors

Autocrine transforming growth factor-β_1 activity and glycosaminoglycan synthesis by human cutaneous scar fibroblasts (Messadi et al). 1994;2:284-91

The combination of platelet-derived growth factor-BB and insulin-like growth factor-I stimulates bone repair in adult Yucatan miniature pigs (Lynch et al). 1994;2:182-90

Effects of basic fibroblast growth factor on the healing of partial thickness donor sites: a prospective, randomized, double-blind trial (Greenhalgh and Rieman). 1994;2:113-21

Role of hypoxia in growth factor responses: differential effects of basic fibroblast growth factor and platelet-derived growth factor in an ischemic wound model (Mustoe et al). 1994;2:277-83

Wound healing in the fetus: possible role for inflammatory macrophages and transforming growth factor-β isoforms (Longaker et al). 1994;2:104-12

Growth hormone

Influence of human growth hormone on granulation tissue formation, collagen deposition, and the aminoterminal propeptide of collagen type III in wound chambers in rats (Rasmussen et al). 1994; 2:31-6

H

Halothane

Mild hypothermia during halothane-induced anesthesia decreases resistance to *Staphylococcus aureus* dermal infection in guinea pigs (Sheffield et al). 1994;2:48-56

Historical article

Wound healing: a personal odyssey (Levenson). 1994;2:238-58

Hybridization

Scarless human fetal skin repair is intrinsic to the fetal fibroblast and occurs in the absence of an

Hybridization – cont'd
inflammatory response: in situ hybridization and immunohistochemical studies (Lin et al). 1994;2: 297-305
Hypothermia
Mild hypothermia during halothane-induced anesthesia decreases resistance to *Staphylococcus aureus* dermal infection in guinea pigs (Sheffield et al). 1994;2:48-56
Hypoxia
Role of hypoxia in growth factor responses: differential effects of basic fibroblast growth factor and platelet-derived growth factor in an ischemic wound model (Mustoe et al). 1994;2:277-83

I

Immunohistochemistry
Scarless human fetal skin repair is intrinsic to the fetal fibroblast and occurs in the absence of an inflammatory response: in situ hybridization and immunohistochemical studies (Lin et al). 1994;2: 297-305
Infant, newborn
Interstitial fluids associated with wound repair support proliferation but not differentiation of neonatal rat myoblasts in vitro (Sicard and Nguyen). 1994;2:306-13
Infection
Mild hypothermia during halothane-induced anesthesia decreases resistance to *Staphylococcus au* reus dermal infection in guinea pigs (Sheffield et al). 1994;2:48-56
Insulin-like growth factor
The combination of platelet-derived growth factor-BB and insulin-like growth factor-I stimulates bone repair in adult Yucatan miniature pigs (Lynch et al). 1994;2:182-90
Interleukins
Safety and effect of topical recombinant human interleukin-1β in the management of pressure sores (Robson et al). 1994;2:177-81
Interstitial fluid
Interstitial fluids associated with wound repair support proliferation but not differentiation of neonatal rat myoblasts in vitro (Sicard and Nguyen). 1994;2:306-13
Ischemia
Role of hypoxia in growth factor responses: differential effects of basic fibroblast growth factor and platelet-derived growth factor in an ischemic wound model (Mustoe et al). 1994;2:277-83

L

Language
Definitions and guidelines for assessment of wounds and evaluation of healing (Lazarus et al). 1994;2: 165-70
Literature update
Literature update. 1994;2:144-7, 314-5

M

Macrophages
Wound healing in the fetus: possible role for inflammatory macrophages and transforming growth factor-β isoforms (Longaker et al). 1994;2:104-12
Meetings
Editorial (Lindblad). 1994;2:1-2
Models
Evaluation of the wound healing potential in human beings from the subcutaneous insertion of expanded polytetrafluoroethylene tubes: a methodologic study (Jorgensen et al). 1994;2:20-30
The hairless mouse ear: an in vivo model for studying wound neovascularization (Barker et al). 1994;2: 138-43
Myoblasts
Interstitial fluids associated with wound repair support proliferation but not differentiation of neonatal rat myoblasts in vitro (Sicard and Nguyen). 1994;2:306-13

N

Neonate; *see* **Infant, newborn**
Neovascularization
The hairless mouse ear: an in vivo model for studying wound neovascularization (Barker et al). 1994;2: 138-43

O

Ophthalmic preparations
Regulatory concerns in the development of topical recombinant ophthalmic and cutaneous wound healing biologics (Stromberg et al). 1994;2:155-64
Oxygen
Effect of oxygen treatment and dressing oxygen permeability on wound healing (Pandit and Feldman). 1994;2:130-7

P

Platelet-derived growth factor
The combination of platelet-derived growth factor-BB and insulin-like growth factor-I stimu-

lates bone repair in adult Yucatan miniature pigs (Lynch et al). 1994;2:182-90

Role of hypoxia in growth factor responses: differential effects of basic fibroblast growth factor and platelet-derived growth factor in an ischemic wound model (Mustoe et al). 1994;2:277-83

Polytetrafluoroethylene

Evaluation of the wound healing potential in human beings from the subcutaneous insertion of expanded polytetrafluoroethylene tubes: a methodologic study (Jorgensen et al). 1994;2:20-30

Prednisolone

Antiinflammatory prednisolone derivatives inhibit collagen synthesis and pro-α_1 (I) collagen promoter activity in rat skin fibroblasts (Cutroneo et al). 1994;2:292-6

Pregnancy

Wound healing in the fetus: possible role for inflammatory macrophages and transforming growth factor-β isoforms (Longaker et al). 1994;2:104-12

Pressure sores; *see* **Decubitus ulcer**

R

Recombinant proteins

Regulatory concerns in the development of topical recombinant ophthalmic and cutaneous wound healing biologics (Stromberg et al). 1994;2:155-64

Regeneration

Dermal regeneration in native non-cross-linked collagen sponges with different extracellular matrix molecules (de Vries et al). 1994;2:37-47

Specific effects of glycosaminoglycans in an analog of extracellular matrix that delays wound contraction and induces regeneration (Shafritz et al). 1994;2:270-6

Regulations

Regulatory concerns in the development of topical recombinant ophthalmic and cutaneous wound healing biologics (Stromberg et al). 1994;2:155-64

Reprint

Definitions and guidelines for assessment of wounds and evaluation of healing (Lazarus et al). 1994;2:165-70

S

Safety

Safety and effect of topical recombinant human interleukin-1β in the management of pressure sores (Robson et al). 1994;2:177-81

Scar; *see* **Cicatrix**

Staphylococcus aureus

Mild hypothermia during halothane-induced anesthesia decreases resistance to *Staphylococcus aureus* dermal infection in guinea pigs (Sheffield et al). 1994;2:48-56

Subcutaneous tube insertion

Evaluation of the wound healing potential in human beings from the subcutaneous insertion of expanded polytetrafluoroethylene tubes: a methodologic study (Jorgensen et al). 1994;2:20-30

T

Terminology

Definitions and guidelines for assessment of wounds and evaluation of healing (Lazarus et al). 1994;2:165-70

Tissue repair

Tissue repair: Where do we stand? (Westerhof). 1994;2:153-4 (Editorial)

Topical administration; *see* **Administration, topical**

Transforming growth factor-beta

Autocrine transforming growth factor-β_1 activity and glycosaminoglycan synthesis by human cutaneous scar fibroblasts (Messadi et al). 1994;2:284-91

Wound healing in the fetus: possible role for inflammatory macrophages and transforming growth factor-β isoforms (Longaker et al). 1994;2:104-12

U

Ulcer

Enhanced healing of ulcers in patients with diabetes by topical treatment with glycyl-L-histidyl-L-lysine copper (Mulder et al). 1994;2:259-69

Safety and effect of topical recombinant human interleukin-1β in the management of pressure sores (Robson et al). 1994;2:177-81

W

Wound healing, history

Wound healing: a personal odyssey (Levenson). 1994;2:238-58

Wound Healing Society

Abstracts. 1994;2:64-99

Editorial (Cohen). 1994;2:103